# **Public Document Pack**



# CIVIC GOVERNMENT LICENSING COMMITTEE FRIDAY, 20TH OCTOBER, 2023

# Please find attached an additional document in respect of the above meeting and will be taken under Urgent Business

9.	Any Other Items which the Chairman Decides are Urgent (Pages 3 - 8) Short Term Lets Licensing	20 mins
----	---	---------



#### **Briefing Note**

## **Civic Government Licensing Committee**

#### **Short Term Lets Licensing**

#### Friday 20 October 2023

The purpose of this note is to update members and obtain their views with regard to the imposition of the mandatory licensing conditions as set out in the 1982 Act on any temporary exemptions which are issued to the requirement to hold permanent licence.

Members will recall that at the Council meeting on 31 August 2023 it was agreed that the Council's short term lets licensing policy be amended to allow temporary exemptions to the requirement to hold a permanent licence for holiday home swap purposes. The Act allows Licensing Authorities to grant such temporary exemptions for 6 weeks during a 12 month period. In making this amendment to the policy, Council instructed the Director of Corporate Governance to bring a further paper providing clarity on whether it is necessary to apply all of the mandatory conditions to temporary exemptions.

The Act provides that Licensing Authorities may attach conditions to any temporary exemptions granted. The guidance issued by the Scottish Government states that a licensing authority might not apply all of the mandatory conditions. Despite this, it is apparent that all other Licensing Authorities who have decided to allow temporary exemption applications are making it clear within their policies that any temporary exemptions issued will be subject to the mandatory conditions as set out in the 1982 Act. For ease of reference, the mandatory conditions are attached to this briefing note.

Whilst ultimately it will be a decision for Council, it would be helpful beforehand to obtain the views of the members of the Civic Government Licensing Committee as to whether it is necessary to apply all of the mandatory conditions to a temporary exemption.

Ron Kirk
Managing Solicitor
Property and Licensing
Legal Services
Scottish Borders Council

# **Appendix 2 – Mandatory licence conditions**

# **Agents**

1. Only those named as a holder of the licence can carry out the day to day management of the short-term let of the premises.

# Type of licence

**2.** The holder of the licence may only offer the type of short-term let for which the licence has been granted.

# Fire safety

- **3.** The holder of the licence must ensure the premises has satisfactory equipment installed for detecting, and for giving warning of—
  - (a) fire or suspected fire, and
  - (b) the presence of carbon monoxide in a concentration that is hazardous to health.
- 4. The holder of the licence must keep records showing that all upholstered furnishings and mattresses within the parts of the premises which are for guest use, or to which the guests are otherwise permitted to have access, comply with the Furniture and Furnishings (Fire Safety) Regulations 1988.

## **Gas safety**

- **5.** Where the premises has a gas supply—
- (a) the holder of the licence must arrange for an annual gas safety inspection of all gas pipes, flues and appliances in the premises,
- (b) if, after an annual inspection, any appliance does not meet the required safety standard, the holder of the licence must not allow a short-term let of the premises until the works necessary to bring the appliance to the required safety standard have been carried out.

# **Electrical safety**

- **6.** Where there are electrical fittings or items within the parts of the premises which are for guest use, or to which the guests are permitted to have access, the holder of the licence must—
  - (a) ensure that any electrical fittings and items are in—
    - (i) a reasonable state of repair, and
    - (ii) proper and safe working order,
  - (b) arrange for an electrical safety inspection to be carried out by a competent person at least every five years or more frequently if directed by the competent person,
  - (c) ensure that, following an electrical safety inspection, the competent person produces an Electrical Installation Condition Report on any fixed installations,
  - (d) arrange for a competent person to—

- (i) produce a Portable Appliance Testing Report on moveable appliances to which a guest has access, and
- (ii) date label and sign all moveable appliances which have been inspected.
- 7. In determining who is competent, the holder of the licence must have regard to guidance issued by the Scottish Ministers under section 19B(4) of the Housing (Scotland) Act 2006(2).

# Water safety: private water supplies

**8.** Where the premises are served by a private water supply, the licence holder must comply with the requirements on the owners of private dwellings set out in the Water Intended for Human Consumption (Private Supplies) (Scotland) Regulations 2017

# Water safety: legionella

**9.** The holder of the licence must assess the risk from exposure to legionella within the premises, whether or not the premises are served by a private water supply.

# Safety & repair standards

- **10.** (1) The holder of the licence must take all reasonable steps to ensure the premises are safe for residential use.
  - (2) Where the premises are subject to the requirements of Chapter 4 of Part 1 of the Housing (Scotland) Act 2006, the holder of the licence must ensure that the premises meet the repairing standard.

## **Maximum Occupancy**

**11.** The licence holder must ensure that the number of guests residing on the premises does not exceed the number specified in the licence.

# Information to be displayed

- **12.** The holder of the licence must make the following information available within the premises in a place where it is accessible to all guests—
  - (a) a certified copy of the licence and the licence conditions, (b) fire, gas and electrical safety information,
  - (c) details of how to summon the assistance of emergency services,
  - (d) a copy of the gas safety report,
  - (e) a copy of the Electrical Installation Condition Report, and
  - (f) a copy of the Portable Appliance Testing Report.

## **Planning Permission**

**13.** Where the premises is in a short-term let control area for the purposes of section 26B of the Town and Country Planning (Scotland) Act 1997 ("the 1997 Act"), the

holder of the licence must, where the use of the premises for a short-term let requires planning permission under the 1997 Act, ensure that either—

- (a) an application has been made for planning permission under the 1997 Act and has not yet been determined, or
- (b) planning permission under the 1997 Act is in force.

## Listings

- **14.** (1) The holder of the licence must ensure that any listing or advert (whether electronic or otherwise) for the short-term let of the premises includes—
  - (a) the licence number, and
  - (b) a valid Energy Performance Certificate rating if an Energy Performance Certificate is required for the premises, in accordance with the Energy Performance of Buildings (Scotland) Regulations 2008
  - (2) The holder of the licence must ensure that any listing or advert (whether electronic or otherwise) for the short-term let of the premises is consistent with the terms of the short-term let licence.

#### Insurance

- **15.** The holder of the licence must ensure that there is in place for the premises—
  - (a) valid buildings insurance for the duration of the licence, and
  - (b) valid public liability insurance for the duration of each short-term let agreement.

#### Payment of fees

**16.** The holder of the licence must pay any fees due to the licensing authority in respect of the licence on demand.

#### False or misleading information

**17.** The holder of the licence must not provide any false or misleading information to the licensing authority.

## Interpretation

**18.** In this schedule—

"Electrical Installation Condition Report" means a report containing the following information—

- (a) the date on which the inspection was carried out,
- (b) the address of the premises inspected,
- (c) the name, address and relevant qualifications of the person who carried out the inspection,

- (d) a description, and the location, of each installation, fixture, fitting and appliance inspected,
- (e) any defect identified,
- (f) any action taken to remedy a defect,
- "Energy Performance Certificate" means a certificate which complies with regulation 6 of the Energy Performance of Buildings (Scotland) Regulations 2008,
- "Gas safety report" means a report containing the following information—
- (a) the date on which the appliance or flue was checked,
- (b) the address of the premises at which the appliance or flue is installed,
- (c) a description of and the location of each appliance or flue checked,
- (d) any safety defect identified,
- (e) any remedial action taken,
- (f) confirmation that the check undertaken complies with the requirements of an examination of—
  - (i) the effectiveness of any flue,
  - (iii) the supply of combustion air,
  - (iv) subject to head (iv), its operating pressure or heat input or, where necessary, both,
  - (v) if it is not reasonably practicable to examine its operating pressure or heat input (or, where necessary, both), its combustion performance,
  - (vi) its operation so as to ensure its safe functioning,
- (g) the name and signature of the individual carrying out the check, and
- (h) the registration number with which that individual, or that individual's employer, is registered with a body approved by the Health and Safety Executive for the purposes of regulation 3(3) of the Gas Safety (Installation and Use) Regulations 1998.

