



Defence Infrastructure Organisation

Your Ref. 15/00018/RREF
DIO Ref. DE/C/SUT/43/10/1/20306

Ministry of Defence
Safeguarding
Kingston Road
Sutton Coldfield
West Midlands B75 7RL
United Kingdom

Telephone [MOD]: +44 (0)121 311 3781
Facsimile [MOD]: +44 (0)121 311 2218
E-mail: DIOSEE-EPSSG3@mod.uk

Via Email

Scottish Borders Council
Newtown St Boswells
Melrose
TD6 0SA

7 August 2015

Dear Sirs,

Local Review Body reference – 15/00018/RREF
Planning Application reference – 15/00179/FUL
Proposed wind turbine 34.4m high to tip and associated infrastructure at Land South West of Clackmae Farmhouse, Earlston, Scottish Borders

The Ministry of Defence (MOD) has received notification from the Scottish Borders Council stating that the above planning application will be reviewed by the Council's Local Review Body.

The MOD submitted a response dated 16th March 2015 raising no objection to the proposal. The MOD has reviewed this response in light of the Review and I can confirm that the MOD raises no objection to the proposal. The MOD requests that the turbine is fitted with aviation lighting of the following specification; the turbine should be fitted with 25 candela omni-directional red lighting or infrared lighting with an optimised flash pattern of 60 flashes per minute of 200ms to 500ms duration at the highest practicable point.

If planning permission is granted, the MOD would like to be advised of the following information;

- The date construction starts and ends;
- The maximum height of construction equipment;
- The latitude and longitude of the turbine erected

I trust that the above will be taken into account during the Review consideration. Should you require any additional information, please do not hesitate to contact me.

Yours faithfully

Marie Neenan
Senior Safeguarding Officer