Local Review Reference: 22/00012/RREF

Planning Application Reference: 21/01909/PPP Development Proposal: Erection of dwellinghouse

Location: Garden ground of Greenrig, Blair Avenue, Jedburgh

**Applicant:** Mr Laurie Bunyan

# **Scottish Borders Local Development Plan 2016**

#### **POLICY PMD1: SUSTAINABILITY**

In determining planning applications and preparing development briefs, the Council will have regard to the following sustainability principles which underpin all the Plan's policies and which developers will be expected to incorporate into their developments:

- a) the long term sustainable use and management of land
- b) the preservation of air and water quality
- c) the protection of natural resources, landscapes, habitats, and species
- d) the protection of built and cultural resources
- e) the efficient use of energy and resources, particularly non-renewable resources
- f) the minimisation of waste, including waste water and encouragement to its sustainable management
- g) the encouragement of walking, cycling, and public transport in preference to the private car
- h) the minimisation of light pollution
- i) the protection of public health and safety
- j) the support to community services and facilities
- k) the provision of new jobs and support to the local economy
- I) the involvement of the local community in the design, management and improvement of their environment

#### **POLICY PMD2: QUALITY STANDARDS**

All new development will be expected to be of high quality in accordance with sustainability principles, designed to fit with Scottish Borders townscapes and to integrate with its landscape surroundings. The standards which will apply to all development are that:

#### Sustainability

- a) In terms of layout, orientation, construction and energy supply, the developer has demonstrated that appropriate measures have been taken to maximise the efficient use of energy and resources, including the use of renewable energy and resources such as District Heating Schemes and the incorporation of sustainable construction techniques in accordance with supplementary planning guidance. Planning applications must demonstrate that the current carbon dioxide emissions reduction target has been met, with at least half of this target met through the use of low or zero carbon technology,
- b) it provides digital connectivity and associated infrastructure,
- c) it provides for Sustainable Urban Drainage Systems in the context of overall provision of Green Infrastructure where appropriate and their after-care and maintenance,
- d) it encourages minimal water usage for new developments,
- e) it provides for appropriate internal and external provision for waste storage and presentation with, in all instances, separate provision for waste and recycling and, depending on the location, separate provision for composting facilities,
- f) it incorporates appropriate hard and soft landscape works, including structural or screen planting where necessary, to help integration with its surroundings and the wider environment and to meet open space requirements. In some cases agreements will be required to ensure that landscape works are undertaken at an early stage of development

and that appropriate arrangements are put in place for long term landscape/open space maintenance.

g) it considers, where appropriate, the long term adaptability of buildings and spaces.

# Placemaking & Design

- h) It creates developments with a sense of place, based on a clear understanding of the context, designed in sympathy with Scottish Borders architectural styles; this need not exclude appropriate contemporary and/or innovative design,
- i) it is of a scale, massing, height and density appropriate to its surroundings and, where an extension or alteration, appropriate to the existing building,
- j) it is finished externally in materials, the colours and textures of which complement the highest quality of architecture in the locality and, where an extension or alteration, the existing building,
- k) it is compatible with, and respects the character of the surrounding area, neighbouring uses, and neighbouring built form,
- I) it can be satisfactorily accommodated within the site,
- m) it provides appropriate boundary treatments to ensure attractive edges to the development that will help integration with its surroundings,
- n) it incorporates, where appropriate, adequate safety and security measures, in accordance with current guidance on 'designing out crime'.

## Accessibility

- o) Street layouts must be designed to properly connect and integrate with existing street patterns and be able to be easily extended in the future where appropriate in order to minimise the need for turning heads and isolated footpaths,
- p) it incorporates, where required, access for those with mobility difficulties,
- q) it ensures there is no adverse impact on road safety, including but not limited to the site access,
- r) it provides for linkages with adjoining built up areas including public transport connections and provision for buses, and new paths and cycleways, linking where possible to the existing path network; Travel Plans will be encouraged to support more sustainable travel patterns,
- s) it incorporates adequate access and turning space for vehicles including those used for waste collection purposes.

## Greenspace, Open Space & Biodiversity

- t) It provides meaningful open space that wherever possible, links to existing open spaces and that is in accordance with current Council standards pending preparation of an up-to-date open space strategy and local standards. In some cases a developer contribution to wider neighbourhood or settlement provision may be appropriate, supported by appropriate arrangements for maintenance,
- u) it retains physical or natural features or habitats which are important to the amenity or biodiversity of the area or makes provision for adequate mitigation or replacements.

Developers are required to provide design and access statements, design briefs and landscape plans as appropriate.

## **POLICY PMD5: INFILL DEVELOPMENT**

Development on non-allocated, infill or windfall, sites, including the re-use of buildings within Development Boundaries as shown on proposal maps will be approved where the following criteria are satisfied:

- a) where relevant, it does not conflict with the established land use of the area; and
- b) it does not detract from the character and amenity of the surrounding area; and

- c) the individual and cumulative effects of the development can be sustained by the social and economic infrastructure and it does not lead to over-development or 'town and village cramming'; and
- d) it respects the scale, form, design, materials and density in context of its surroundings; and
- e) adequate access and servicing can be achieved, particularly taking account of water and drainage and schools capacity; and
- f) it does not result in any significant loss of daylight, sunlight or privacy to adjoining properties as a result of overshadowing or overlooking.

All applications will be considered against the Council's Supplementary Planning Guidance on Placemaking and Design. Developers are required to provide design statements as appropriate.

## POLICY HD3: PROTECTION OF RESIDENTIAL AMENITY

Development that is judged to have an adverse impact on the amenity of existing or proposed residential areas will not be permitted. To protect the amenity and character of these areas, any developments will be assessed against:

- a) the principle of the development, including where relevant, any open space that would be lost; and
- b) the details of the development itself particularly in terms of:
- (i) the scale, form and type of development in terms of its fit within a residential area,
- (ii) the impact of the proposed development on the existing and surrounding properties particularly in terms of overlooking, loss of privacy and sunlighting provisions. These considerations apply especially in relation to garden ground or 'backland' development,
- (iii) the generation of traffic or noise,
- (iv) the level of visual impact.

## POLICY EP13: TREES, WOODLANDS AND HEDGEROWS

The Council will refuse development that would cause the loss of or serious damage to the woodland resource unless the public benefits of the development clearly outweigh the loss of landscape, ecological, recreational, historical, or shelter value.

Any development that may impact on the woodland resource should:

- a) aim to minimise adverse impacts on the biodiversity value of the woodland resource, including its environmental quality, ecological status and viability; and
- b) where there is an unavoidable loss of the woodland resource, ensure appropriate replacement planting, where possible, within the area of the Scottish Borders; and
- c) adhere to any planning agreement sought to enhance the woodland resource.

## POLICY IS2: DEVELOPER CONTRIBUTIONS

Where a site is otherwise acceptable in terms of planning policy, but cannot proceed due to deficiencies in infrastructure and services or to environmental impacts, any or all of which will be created or exacerbated as a result of the development, the Council will require developers to make a full or partial contribution towards the cost of addressing such deficiencies.

Contributions may be required for one or more of the following:

a) treatment of surface or foul waste water in accordance with the Plan's policies on preferred methods (including SUDS maintenance);

- b) provision of schools, school extensions or associated facilities, all in accordance with current educational capacity estimates and schedule of contributions;
- c) off-site transport infrastructure including new roads or road improvements, Safer Routes to School, road safety measures, public car parking, cycle-ways, bridges and associated studies and other access routes, subsidy to public transport operators; all in accordance with the relevant standards and the provisions of any Travel Plan;
- d) leisure, sport, recreation, play areas and community facilities, either on-site or offsite;
- e) landscape, open space, allotment provision, trees and woodlands, including costs of future management and maintenance:
- f) protection, enhancement and promotion of environmental assets either on-site or offsite, having regard to the Local Biodiversity Action Plan and the Council's Supplementary Planning Guidance on Biodiversity, including compensation for any losses and/or alternative provision;
- g) provision of other facilities and equipment for the satisfactory completion of the development that may include: measures to minimise the risk of crime; provision for the storage, collection and recycling of waste, including communal facilities; provision of street furniture and digital connectivity with associated infrastructure.

Wherever possible, any requirement to provide developer contributions will be secured by planning condition. Where a legal agreement is necessary, the preference for using an agreement under other legislation, for example the 1973 Local Government (Scotland) Act and the 1984 Roads (Scotland) Act will be considered. A planning obligation will only be necessary where successors in title need to be bound by its terms. Where appropriate, the council will consider the economic viability of a proposed development, including possible payment options, such as staged or phased payments.

## POLICY IS7: PARKING PROVISION AND STANDARDS

Development proposals should provide for car and cycle parking in accordance with approved standards.

Relaxation of technical standards will be considered where appropriate due to the nature of the development and/or if positive amenity gains can be demonstrated that do not compromise road safety.

In town centres where there appear to be parking difficulties, the Council will consider the desirability of seeking additional public parking provision, in the context of policies to promote the use of sustainable travel modes.

## **POLICY IS8: FLOODING**

At all times, avoidance will be the first principle of managing flood risk. In general terms, new development should therefore be located in areas free from significant flood risk. Development will not be permitted if it would be at significant risk of flooding from any source or would materially increase the probability of flooding elsewhere. The ability of functional flood plains to convey and store floodwater should be protected, and development should be located away from them.

Within certain defined risk categories, particularly where the risk is greater than 0.5% annual flooding probability or 1 in 200 year flood risk, some forms of development will generally not be acceptable. These include:

a) development comprising essential civil infrastructure such as hospitals, fire stations, emergency depots etc., schools, care homes, ground-based electrical and

telecommunications equipment unless subject to an appropriate long term flood risk management strategy;

b) additional built development in undeveloped and sparsely developed areas.

Other forms of development will be subject to an assessment of the risk and mitigation measures.

Developers will be required to provide, including if necessary at planning permission in principle stage:

- a) a competent flood risk assessment, including all sources of flooding, and taking account of climate change; and
- b) a report of the measures that are proposed to mitigate the flood risk.

The information used to assess the acceptability of development will include:

- a) information and advice from consultation with the council's flood team and the Scottish Environment Protection Agency;
- b) flood risk maps provided by the Scottish Environment Protection Agency which indicate the extent of the flood plain;
- c) historical records and flood studies held by the council and other agencies, including past flood risk assessment reports carried out by consultants and associated comments from the Scottish Environment Protection Agency, also held by the council;
- (d) the Scottish Environment Protection Agency's Land Use Vulnerability Guidance.

# POLICY IS9: WASTE WATER TREATMENT STANDARDS AND SUSTAINABLE URBAN DRAINAGE

## WASTE WATER TREATMENT STANDARDS

The Council's preferred method of dealing with waste water associated with new development will be, in order of priority:

- a) direct connection to the public sewerage system, including pumping if necessary, or failing that:
- b) negotiating developer contributions with Scottish Water to upgrade the existing sewerage network and/or increasing capacity at the waste water treatment works, or failing that:
- c) agreement with Scottish Water and SEPA where required to provide permanent or temporary alternatives to sewer connection including the possibility of stand alone treatment plants until sewer capacity becomes available, or, failing that:
- d) for development in the countryside i.e. not within or immediately adjacent to publicly sewered areas, the use of private sewerage treatment may be acceptable, providing it can be demonstrated that this can be delivered without any negative impacts to public health, the environment or the quality of watercourses or groundwater.

In settlements served by the public foul sewer, permission for an individual private sewage treatment system will normally be refused unless exceptional circumstances prevail and the conditions in criteria (d) above can be satisfied.

Development will be refused if:

- a) it will result in a proliferation of individual septic tanks or other private water treatment infrastructure within settlements,
- b) it will overload existing mains infrastructure or it is impractical for the developer to provide for new infrastructure.

## SUSTAINABLE URBAN DRAINAGE

Surface water management for new development, for both greenfield and brownfield sites, must comply with current best practice on sustainable urban drainage systems to the satisfaction of the council, Scottish Environment Protection Agency (where required), Scottish Natural Heritage and other interested parties where required. Development will be refused unless surface water treatment is dealt with in a sustainable manner that avoids flooding, pollution, extensive canalisation and culverting of watercourses. A drainage strategy should be submitted with planning applications to include treatment and flood attenuation measures and details for the long term maintenance of any necessary features.

## **Other Material Considerations**

- SBC Supplementary Planning Guidance on Developer Contributions 2021
- SBC Supplementary Planning Guidance on Privacy and Sunlight 2006
- SBC Supplementary Planning Guidance on Placemaking and Design 2010
- SBC Supplementary Planning Guidance on Sustainable Urban Drainage Systems 2020
- SPP 2014