

## CONSULTATION RESPONSE TO PLANNING OR RELATED APPLICATION

Comments provided	Roads Plann	ng Service	Contact e-mail/n	umber:	
Office a Newscard	Kaith Dattana		len attama an Oa aa	Ale and an array of	
Officer Name and	Keith Patterson			kpatterson@scotborders.gov.uk	
Post:	Roads Planning Officer			01835 826637	
Date of reply	25 <sup>th</sup> January	2022	Consultee refere	ence:	
Planning Application	21/01905/FU	<u>L</u>	Case Officer:		
Reference			Cameron Kirk		
Applicant	Mr Nigel Carey				
Agent	Pro-found				
Proposed	Erection of a dwellinghouse (change of house type previously approved under				
Development	permission 21/00913/FUL)				
Site Location	Garden Ground Of Cheviot View Eden Road Gordon Scottish Borders				
as they relate to the a	rea of expertis	se of that consulted	of the consultee on the e. A decision on the ap onsultations and mate		
Background and Site description	A previous application for this site (21/01111/FUL) was submitted and then withdrawn before determination.				
Key Issues (Bullet points)					
Assessment	This application is essentially the same as the previous submission in terms of the site layout and as such my previous comments still apply.  I have no objections in principle to this proposal, however I am a little concerned that the proposal as it currently stands will interfere with the operation of the parking				
	and turning for the adjacent plot, the subjects of application 21/00913/FUL. I shall require the applicant to submit an amended plan demonstrating that both plots are able to park, and enter and exit the site in a forward gear, independent of each other.				
	The applicant has emailed me directly to confirm that most of the fencing detailed on the site plan is to be removed to facilitate the majority of the foreground of the site to be used as parking/manoeuvring space.				
	I shall require an amended plan to be submitted demonstrating this before I am able to fully support the proposal.				
Recommendation	Object	☐ Do not object	Do not object, subject to conditions	Further information required	
Recommended Conditions					
Recommended					
Informatives					