



PROPOSED GROUND FLOOR PLAN

- ELECTRICAL KEY**
- NS 13 Amp non switched double socket
 - NS 13 Amp non switched single socket
 - NS 13 Amp twin switched double socket at high level
 - NS 13 Amp twin switched double socket
 - BT BT point
 - HW Fused switched spur with indicator for hot water
 - E Fused switched spur for extract at high level
 - HD Fused switched spur with indicator for hand drier
 - FV Fused switched spur with indicator for fermenting vessel control panel rated IP65
 - EF Double pole isolator switch for extract at high level
 - R Fused switched spur with indicator for radiator
 - IP65+ IP65+ rated 16A torpeda socket 1200mm above FFL
 - IP65 IP65 rated 13A switched double socket 1200mm above FFL
 - C IP65 rated switched spur for FV controls
 - HE Copper elements 3 phase IP65 18kW isolator switch
 - HLT Hot Liquor Tank 3 phase IP65 12kW isolator switch
 - FV Control panel for Fermenting vessel
 - FE Control panel for Copper elements
 - HE Control panel for Heat exchanger
 - BH Control panel for Brewhouse (includes HLT and pumps)
 - 3 PH Fuse board for 3 phase supply
 - FB Fuse board for single phase supply
 - Hand drier
 - F Switched spur for fridge
 - GW Switched spur for glass washer
 - Light switch
 - 2 2 way light switch
 - Recessed LED downlighter
 - 1 hr FR recessed LED downlighter - emergency fitting
 - Surface mounted spot
 - Recessed office LED downlighter - Thom Chalice
 - Recessed office LED downlighter - Thom Chalice - emergency fitting
 - Surface mounted luminaire
 - Surface mounted luminaire - Emergency fitting
 - E External bulkhead light fitting with PIR - Thom Lara Eyelid
 - EA Illuminated emergency exit signage
 - Firemans switch
 - HS Mains wired heat detector and sounder
 - MS Mains wired smoke detector and sounder
 - CP Call point
 - CO Mains wired carbon monoxide detector
 - CO2 Mains wired carbon dioxide monitor and alarm

Scottish Borders Council
Building Scotland Act 2003

APPROVED

subject to the requirements
of the associated Building
Warrant

Flue to HLT

Remove skylights and relate
to match existing

Solid core double doors



PROPOSED ELEVATION

C	Minor amendments as highlighted	09.09.22
B	Amendments for warrant report as indicated, and multi-line position and outlets aligned, further call points added for fire alarm system	24.06.22
A	Minor amendments for sound report	28.01.22
REV		DATE

PROJECT
GLENEVAN MILL
INNERLEITHEN

TITLE
PROPOSED PLAN & ELEVATION

MATT HAMLETT
ARCHITECTURE + DESIGN

Little Mockbeggar
Woodside Avenue
GRANTOWN ON SPEY PH26 3JR

Mob. 07704459922
E-mail matt@hamlett-architecture.com

SCALE 1:50 at A1

DATE 13.12.21